❖ Références bibliographiques

A

- **Abhijit, S., Parames, C.S., 2014.** Iron oxide nanoparticles mediated cytotoxicity via PI3K/AKT pathway: Role of quercetin. Food and chemical toxicology 71, 106-115.
- **Afsset**. 2006. Les nanomatériaux: Effets sur la santé de l'homme et sur l'environnement. P : 221.
- **Alarifi S., Ali D., Alkahtani S., 2014**. Iron oxide nanoparticles induce oxidative stress, DNA damage, and caspase activation in the human breast cancer cell Line. Springer science+business media new york. PP : 7-9.
- **Alexiou, C., Arnold, W., Klein, R. J., Parak, F.G., Hulin, P., Bergemann, C., Erhardt, W. S., Wagenpfeil, A. S., 2000**.Lubbe, locoregional cancer treatment with magnetic drug targeting, cancer res, 60 (23), 6641Ŕ6648.
- **Alloun K., 2011.** Etude de la cytotoxicité des nanoparticules d'oxydes de fer. mémoire toxicologie. Paris. Liab. 22p.
- **Al-Sultan S.I. 2003**. The effect of Curcuma longa (Tumeric) on overall performance of broiler chickens. International journal of poultry science. 2: 351-353.
- **Andrea L., Armstead. , Bingyun L .2011**. Nanomedicine as an emerging approach against intracellular pathogens. New england journal of medicine .2011:6.
- **Andrews N.C. (2002)**. Physiologie et métabolisme du fer. New england journal of medicine. 353: 2508-2509.
- **Anil K., Jyotsna D., Anup S .2011** . A Reviw on spice of life curcuma longa (turmeric). International journal of applied biology and pharmaceutical technology. 2 : 0976-4550:372.
- **Ansari K .N .1997**. The free radicals-the hidden culprits-an update. Indian journal of medical sciences. 51 :319-336
- **Araujo C.A.C. Leon L.L**. 2001. Biological activities of Curcuma longa L. Memorias do instituto oswaldo cruz. 96: 723-728
- **Armstead A . , Li B., 2011**. Nanomedicine as an emerging approach against intracellular pathogens.Institute of nanotechnology. 6:3281-93.
- **Asadi S., Sohrabi M., Zarei S., Ghyasvand. , Rezaei Farimani A., Goodarzi M.T. 2014**.Effects of curcuma longa and cinnamon aqueous extracts on serum

carbohydrates and lipids metabolism and oxidative status in high fructose fed rats. international research journal of biological sciences. 3(3) : 78-82.

- **Asati A., Santra S., Kaittanis C., Perez J. M. 2010**.Surface-charge-dependent cell localization and cytotoxicity of cerium oxide nanoparticles. American chemical society.4(9):5321–31.
- **Assadi S .,Sohrabi M .,Zarei S .,Ghyasvand T ., Rezaci A .,Goodarzi M.T.2014**.Effets of curcuma longa and cinnamon aqueous extracts on serum carbohydrates and lipids metabolism and oxidative status in high fructose fed rats .int res J biological sci ;3(3) :78-83.
- **Auffan M. 2007**.Nanoparticules d'oxydes métalliques : relations entre la réactivite de surface et des réponses biologiques. Thèse doctorat géosciences de l'Environnemen. Université Paul Cézanne Aix-Marseille III. P : 205.
- **Awe FB, Fagbemi TN, Ifesan BOT, Badejo AA., 2013.** Antioxidant properties of cold and hot water extracts of cocoa, Hibiscus flower extract, and ginger beverage blends. Food res int, 2013 ; 52(2): 490–5.

B

- **Bacon B.R., Tavill A.S., Brittenham G.M., Park C.H., Recknagel R. 1983.**Hepatic lipid peroxidation in vivo in rats with chronic iron overload. Journal of clinical investigation: .71 : 429 -439.
- **Baratli Y.2015**. Etude de la toxicité des nanopartiules d'oxyde de fer, Fe3O4 Chez le rat, analyse mitochondriales et stress oxydants.thése doctorat .p
- **Bartsch H., Nair J.2000**. New DNA-based biomarkers for oxidative stress and cancer chemoprevention studies. European Journal.36 :1229-1234.
- **Bayala B. 2014**.Etude des propriétés anti-oxydantes, anti-inflammatoires, anti-prolifératives et anti-migratoires des huiles essentielles de quelques plantes médicinales du Burkina Faso sur des lignées cellulaires du cancer de la prostate et de glioblastomes. Thèse de Doctorat .l'Université de Ouagadougou.p :26.
- **BAZINE A.2017**.Elaboration par sol-gel et caracterisation d'oxyde metallique (type : α-Fe2O3) aux properies photocatalytiques .p8 .
- **Beaumont C.2004**. Mécanismes moléculaires de l'homéostasie du fer. Médecine Sciences. 20 : 68-72.

- **Beaumont C., Canonne-Hergaux F. 2005**. Erythrophagocytosis and recycling of heme iron in normal and pathological conditions; regulation by hepcidin. Transfusion clinique et biologique.12 : 123-130.
- **Bechet D., Seve A., Pernot M. 2011**. Application des nanoparticules à la thérapie photodynamique. Annale de nano-biotechnologies. 16(1-5) : 1-2.
- **Benbrinis S.2012**.Evaluation des activités antioxydante et antibactérienne des extraits de Santolina chamaecyparissus. Mémoire du diplôme de magister en biochimie université ferhat abbas-settif. p : 15.
- **Bergeron B. 2014**. Synthèse de nanoparticules à structure coeur-coquille d'oxyde de fer et d'or. Mémoire maîtrise en chimie de Canada. p : 56
- **Bottero J.Y.,Rose J.2006**. Nanotechnologies: tools for sustainability in a new wave of water treatment processes. Integr environ assess manag. 2(4):391-5.
- **Bordessoule D. 2006**.L'erythropoiese et étude dynamique du fer. Annale de Federal Advisory committee management division. 2(1) : 1-33.
- **Bossuyt, X., Boeynaems, J-M. (2001)**. Repères en diagnostic de laboratoire. Belgique: Garant.
- **Borm P. J. D. ,Robbins S., Haubold T. ,Kuhlbusch H., Fissan K., Donaldson R., Schins V., Stone W. ,Kreyling J., Lademann J., Krutmann D., Warheit., Oberdorster E. 2006** . The potential risks of nanomaterials: a review carried out for Ecetoc. Particle and fibre toxicology. 14;3:11.
- **Boullard B .2001** .Dictionnaire des plantes médicinales du monde: Estem : 174.Chemical research in toxicology .16:1642-51.
- **Bradford M .1976**. A rapid and sensitive method for the quantities of microgram quantities ofprotein utilizing the principle of proteinbinding. Analytical biochemistry. 72: 248–254.
- **Brooks C., Wei Q., Feng L., Dong G., Tao Y., Mei L., Xie Z.J., Dong Z. 2007**. Bak regulates mitochondrial morphology and pathology during apoptosis by interacting with mitofusins. Proc Nat Acad Sci USA.104:11649Ŕ11654.
- **Bruno D.2014**. le curcuma de la cuisine a la medecine. Mémoire .p :09- 11- 12.
- **Bulte, J. W., Hoekstra, Y., Kamman, R. L., Magin, R. L., Webb, A. G., Briggs, R. W., Go, K. G., Hulstaert, C. E., & Miltenyi, S. T. H., 1992.** The, Specific MR

imaging of human lymphocytes by monoclonal antibody-guided dextran-magnetite particles, Magn. Reson. Med, 25 (1), 148Ŕ157.

C

- **Carocho M., Ferreira I.C. 2013**. A review on antioxidants, prooxidants and related controversy: natural and synthetic compounds, screening and analysis methodologies and future perspectives. Food and chemical toxicology. 51 : 15-25.
- **Chan M .A., Byong-Gon P ., Jungyeob H ., Woon-Seob S .2009**. Synthesis of sulfonyl curcumin mimics exerting a vasodilatation effect on the basilar artery of rabbits. Experimental gerontology. 0960-894.
- **Chu W. L., Lim Y ., W. Radhakrishnan A. K .,Lim P. E .2010**. Protective effect of aqueous extract from Spirulina platensis against cell death induced by free radicals. Complementary and Alternative Medicine. 10 (53) : 2-8.
- **Chuto G ., Chaumet-Riffaud P. 2010** .Les nanoparticules
- **Christelle N .2006**.Caracterisation de l'oxyde du fer ferreux en presence de deux bacteries ferro- neutrophiles, champhydrothermal de loihi, Hawai.memoire presente comme partielle de la maitrise en biologie en universite du québes a montréal.p :1.
- **Collard S.C.2010**. Les systèmes de défense antioxydants. Revue medecale synlab Belgique .P :1-2.
- **Cornell R.M. Schwertmann U.2003**. The Iron Oxides: Structure, Properties, Reactions, Occurrences and Uses .Completely revised and extended edition edition. weinheim:wiley-VCH.P.

D

- **Debbi K ., Janoray G ., Scher N ., Deutsch É., Mornex F.**Doses aux organes à risque en radiothérapie conformationnelle et enradiothérapie stéréotaxique : le foie. Cancer Radiothérapie .21 : 604–612..
- **Delaveau P. 1987**. Les épices Histoire, description et usage des différents épices, aromates et condiments. Paris : Albin Michel. p : 130-136.
- **Desport J., Couratier P.2002**. Stress oxydant et maladies neurodégénératives. Nutrition clinique et métabolisme. 16:253-259 .

- **Djemli S ., Kechrid Z.2013.** Preventive effect of zinc on nickel-induced oxidative liver injury in rats. African journal of biotechnology. 12(51), pp. 7112-7119.

- **Donald ., Messner., Gowsala S., Kowdley .2009**. Curcumin reduces the toxic e¡ects of iron loading in rat liver epithelial cells. 2009. Liver International. 1478-3223.
- **DonzeN. 2010**. Paramètres biochimiques du métabolisme du fer. Annale d'Institut Central Hôpital du Valais. 12(11) : 1-2.

- **Durackova Z., Djrolo F., Houngbe H., Avode G., Attoulou V., Addra B., Kodjoh N.,Avimadj M. 2008**. Oxidants, Antioxidants and Oxidative stress. Mitochondrial medicine.pp :19-43.

- **Duvallet A. 2008.** Physiologie et régulation du FER. unité de formation et de recherche santé, médecine et biologie humaine.p :62.

E

- **El-Bahr S.M. 2007.** The protective effect of turmeric on iron overload in albino rats. Egyptian Journal of Biochemistry and molecular biology. 25(2) : 94-113.
- **Emeline L.2002**. Curcuma domestica(Zingibéracées). Thése pour le deplomeTHESE pour le diplôme etet docteur pharmcie .p :1.
- **Epstein J., Sanderson I.R., MacDonald T.T.2010**. Curcumin as a therapeutic agent: the evidence from in vitro, animal and human studies. British Journal of Nutrition. 103:1545-1557.
- **Ercal, N., Treeratphana, P., Lutzb, P., Hammondb, T.C., Richard, H., et Matthews, C., 1996.** IV-acetylcysteine protects Chinese hamster ovary (CHO) cells from lead-induced oxidative stress. Toxicology, 108(162): 57-64. Doi:10.1016/S0300-483X(95)03273-I.

F

- **Fatima H., Mohamed N., Yomna A.2017.**Preparation and evaluation of iron oxide nanoparticules for treatment of iron deficiency anemia. Nternational Journal of Pharmacy and Pharmaceutical Sciences. 10(1).

- **Fang D., Guo-Yun L., Yan L., Wen-Jing Y., Qi W., Jie Y., Dong-Liang L., De-Jun D., Dong L., Bo Z**. Insights into the importance for designing curcumin-inspired anticancer agents by a prooxidant strategy: The case of diarylpentanoids. Free Radical Biology and Medicine .85 :127–137.
- **Farid A., Badria1., Ahmed S., Ibrahim., Adel F., Badria., Ahmed A ., Elmarakby .2015**. Curcumin Attenuates Iron Accumulation and Oxidative Stress in the Liver and Spleen of Chronic Iron-Overloaded Rats. Public Library of Science (PLoS). 0134156.
- **Fatima S., Mahmood R.2007**.Vitamin C attenuates potassium dichromate-induced nephrotoxicity and alterations in renal brush border membrane enzymes and phosphate transport in rats. Clin Chim Acta. 386(1-2) : 94-9.
- **Favier A .2003**. Le stress oxydant. Intérêt conceptuel et expérimental dans la compréhension des mécanismes des maladies et potentiel thérapeutique. Actualité Chimique.108-15.
- **Favier A.2006**. Stress oxydant et pathologies humaines. Mécanismes biochimiques.64(6) : 390-6.
- **Favier M., Hininger-FavierI. (2005).** Zinc et grossesse. Gynécologie Obstétrique & Fertilité. 33(4) :253-258.
- **Flohe L., Gunzler W.A. 1984**. Analysis of glutathione peroxidase, Methods Enzymol. 105:114–121.
- **Francois P.2012**. Toxicité des nanoparticules métalliques chez différents modéles biologique. thése doctorat. p : 11.
- **Frei B., Higdon J. V. 2003.** Antioxidant activity of tea polyphenolsin vivo:Evidence from animal studies.Journal of Nutrition.133(10), 3275SŔ3284S.

G

- **Gabriella L., Barbara S., Giuseppe P. 2010**.Targeting tissue oxidative damage by means of cell signaling modulators: The antioxidant concept revisited. Pharmacology & Therapeutics. 128 :336–374.
- **Gadah ., Al-Basher .2017**. Green tea activity and iron overload induced molecular fibrogenesis of rat liver. Journal of Biological Sciences.
- **Gallati S**. 2002. Régulation des stocks du fer. Suisse Medical Forum. P : 966-970.

- **Galleano M., Farre S.M., Turrens J.F. Puntarulo S.1994.** Resistance of rat kidney mitochondrial membranes to oxidation induced by acute iron overload. Toxicology.88 : 141-149.
- **Gasmi S**, Neurotoxicité de deux pesticides (Acetamipride et Deltamethrine) et la prévention de cette toxicité par la quercétine chez le rat, 2018, Thése Doctorat, Université de Tébessa.p :217.
- **Gandik.2005**.Détermination des paramètres hématologiques et biochimiques des petits ruminants du Tchad. Annale de LRVZF. 156(4) : 1-5
- **Canesi L., Ciaccia C., Piccolib G., Stocchib V., Viarengo A., Gallo G.1998.** In vitro and in vivo effects of heavy metals on mussel digestive glandhexokinase activity: the role of glutathione.p :261–268
- **Ganong, W. F., (2004)**. Physiologie médicale (M. Jobin, Trad.). Bruxelles: De Boeck. (Œuvre originale publiée en 2003).
- **GATE L., DARNE C., BINET S. 2011**. Evaluation de la toxicité pulmonaire de particule de Fe2 O3 nano et submicrométriques par instillation intratrachéale chez le rat Spragne Dawley. L'institut national de recherche et de sécurité. 6(1-9) : 1-2
- **Ghosh, D., Benazir, S., Mitra, E., Dey, M. et Bandyopadhyay, D., (2012).** Protective effect of aqueous leaf extract of Murraya Koenigi Against lead induced oxidative stress in Rat liver, heart and kidney: a dose response study. Asian Journal of Pharmaceutical and Clinical Research, 5(4): 54-58. En ligne: http://www.ajpcr.com/Vol5Suppl4/1307.pdf
- **Gaté L., Paul J., Ba G.N., Tew K.D., and Tapiero H.1999**. Oxidative stress induced in pathologies: The role of antioxidants. Biomedicine & Pharmacotherapy. 53(4):169-180.
- **Goudable J.1. , Favier A. 1997**.Radicaux libres oxygénés et antioxydants.. Nutrition Clinique et Métabolisme .11(2) : 115-20.
- **Gowda N.K.S., Ledoux D.R., Rottinghaus G.E., Bermudez A.J., Chen Y.C. 2009**.Antioxidant efficacy of curcuminoids from turmeric (Curcuma longa L.) powder in broiler chickens fed diets containing aflatoxin B-1. British Journal of Nutrition.102: 1629-1634.
- **Greco ., Courbière E ., Rose J., Orsière T ., Sari-Minodier I ., Bottero J .Y., Auffan M., Perrin J .2015**. Reprotoxicité des nanoparticules. Gynécologie Obstétrique & Fertilité. 43 (2015) 49–55.

- **Guangyan Y., Yina H., Qian B., Lei Lv ., Pengchi Deng c ., Jiaqing Z. b, Yanli w. 2012**. Zinc oxide nanoparticles cause nephrotoxicity and kidney metabolism alterations in rats. Environmental Science and Health. 23:17.
- **Gülçin İ., Huyutb Z., Elmastaşc M. Y., Aboul-Enein H. 2010**.Radical scavenging and antioxidant activity of tannic acid. . Arabian Journal of Chemistry.3(1) : 43–53

H

- **Hagens W.I, Oomen A.G, Jong W.H. 2007**. What do we (need to) know about the kinetic properties of nanoparticles in the body? Regul. Toxycology Pharmacol. 49:217–28.
- **Hatcher H., Planal p. R ., Cho J., Tortia F.M. Torti S.V. 2008**.Curcumin: From ancient medicine to current clinical trials. Cellular and molecular life sciences. 65: 1631-1652.
- **Haw C. Y., Mohamed F., Chia C. H., Radiman S., Zakaria S., Huang N. M., Lim H. N. 2010** .Hydrothermal synthesis of magnetite nanoparticles as MRI contrast agents. Ceramics International. 36(4): 1417-1422.
- Hennebelle T., Sahpaz S., Bailleul F. 2004. Polyphénols végétaux, sources, utilizations et potentiel dans la lutte contre le stress oxydatif. Phytothérapie. p : 3-6.
- **Hoede P. 2014**. L'oxyde de fer est employé comme produit de contraste pour pratiquer l'imagerie médicale de résonance magnétique nucléaire (IRM). Annale principal component Mahalanobis distance. 3(1) : 1-6.
- **Hui L., Lei Z., Shaoping L.2012.** Evaluation of Antioxidant and Immunity Activities of Quercetin in Isoproterenol-Treated Rats. 17, 4281-4291.
- **Hutchison T.A., Shahan D.R., Anderson M.L., (2000).** Drugdex System. Englewood, CO. Expires: December.

J

- **Jaap S. 2011**. support de cours sur le fer. Université Médicale Virtuelle Francophone.p : 13.
- **Jacques F .2008**. LeCorps humain Comprendre notre organisme et son fonctionnement. P : 110.

- **Jayaprakasha G.K., Jagan L., Rao M., Sakariah K.K. Chemistry and biological activities of C-longa. 2005**. Trends in Food Science & Technology. 16: 533-548.
- **Jones C. F., Grainger D. W. 2009**.In vitro assessments of nanomaterial toxicity. Advanced drug delivery reviews. 61(6): 438-456.
- **Joyce T., Yolanda I.C.Eduardo M, Ana C. A. Edilia T., José P. 2013**.Renoprotective effect of the antioxidant curcumin: Recent findings. Redox Biology. 1 : 448–456.

K

- **Karen C., Briley-Saebo., Ph D ., Lars O., Johansson., Svein O . H., Anita G., Haldorsen.2006.** Clearance of iron oxide particles in rat liver effect of hydrated particle size and coating material on liver metabolism. Investigative radiology .41(7).
- **Katia A. 2001**. Etude de la cytotoxicité des nanoparticules d'oxydes de fer. Mémoire Université Paris Descartes .p :5
- **Kashif M ., Khalid M .Z., Mohammad Z ., Mahwish S., Muhammad N. A. 2015**.Recent developments in curcumin and curcumin based polymeric materials for biomedical applications: A review. .09.026 :0141-8130
- **Karami-Mohajeri S ., Abdollahi M.2011.** Toxic influence of organophosphate, carbamate, and organochlorine pesticides on cellular metabolism of lipids, proteins, and carbohydrates: a systematic review. Uman & experimental toxicology. 30(9):1119-40.
- **Kaplan L.A., Rubaltelli F.F., Hammerman C., Vilei M.T., Leiter C, Abramov A.1984**. Lipids. In: Kaplan LA and Pesce AJ. Eds. Clinical Chemistry: Theory, Analysis and Correlation. St Louis. Toronto. Princeton : The C. V. Mosby Company .918-9.
- **Khalil M .2011**. Nutrition parentérale du nouveau-né : modulation du stress oxydant et conséquences hépatiques .Doctorat de l'université de Toulouse.p :27-28.
- **Kota N, Krishna P, Polasa K., 2008.** Alterations in antioxidant status of rats following intake ofginger through diet. Food Chem, 2008 ; 106(3) : 991–6.
- **Kubo I.1992**. J. Agric. Food Chem., 40 :245-248

- **Krim M . 2014** . L'importance des antioxydants (Gingembre) dans la réduction des effets toxiques induits par les chromates chez les rats . thèse doctorat.p :4-5-6.
- **Kumari A ., Kakkar P .2008**. Screening of antioxidant potential of selected barks of Indian medicinal plants by multiple in vitro assays. Biomedical and environmental sciences.21 : 24-29

ℒ

- **Lavaco Z ., Azevedo R ., Matrtins E. 1999**.Biological effects of magnetic fluids: Toxicity studies. Journal of Magnetism and Magnetic Materials. 20 :(1-3) : 1-4.
- **Lakhal R. 2016**. Nouveau procède d'élaboration de micro et nanoparticules d'oxyde de fer en voie sèche: caractérisation, étude du procède et proposition d'un mécanisme réactionnel. Thèse doctorat en uneversité de Toulouse.p .
- **Lanone S., Boczkowski J.2010**. Les sources des nanoparticules. Revue française d'allergologie .50 :211–213.
- **Lei L. 2013**.Toxicity of superparamagnetic iron oxide nanoparticles: Research strategies and implications for nanomedicine. Chinese Physical Society.22(12) : 1-10.
- **Levin G., Cogan U., Mokady S. 1990.**Riboflavin deficiency and the function and fluidity of rat erythrocyte membranes. **Journal of Nutrition**.120 (8) : 857Ŕ861.
- **Loréal O., Brissot P. 2003**. L'hepcidine : petite molécules, grands desseins. La revue de Médecine Interne .24 : 213-215.
- **Lum H ., ROEBUCK A .2001**.Oxidant stress and endothelial cell dysfunction. American journal of physiology. Cell physiology. 28(4) : 1-25.
- **Lü J ., Lin P., Yao Q., Chen C. 2010**. Chemical and molecular mechanisms of antioxidants: Experimental approaches and model systems. Journal Cell Mod Med .14: 840-860.

M

- **Manawadi et Kaliwal .2010.** Toxicological effects of carbosulfan in rats : Antioxidant, enzymological, biochemical, and hematological responses. Toxicology and Industrial Health. 32(7): pp. 1335-1343
- **Marie-Elodie M .2014**.De l'insuffisant hépatique au greffé hépatique : Prise en charge Odontologique.thése d'un été de docteur en chirurgie dentaire . P : 7-8-9.
- **Hervé S.2014**.Nanoparticules et santé : des applications aux risques potentiels. L'exemple du TiO2. Diplôme d' etat de docteur en pharmacie université de bordeaux.p :61-64.
- **Maurizi L.2012**.Elaboration de nanoparticules fonctionnelles : applications comme agents de contraste en IRM. Thèse doctorat chimie physique .uneversité France.p255.
- **Medd, 2006.** Ministére de l'école et du dévelepement durable .
- **Medina-Navarro R., Durán-Reyes G ., Díaz-Flores M., Vilar-Rojas C. 2010**.Protein Antioxidant Response to the Stress and the Relationship between Molecular Structure and Antioxidant Function. PLoS ONE .5(1) : e8971.
- **Mélanie P.2012**. Etude in vitro de la toxicité de nanoparticules de boehmite. These Pour obtenir le grade de Docteur de l'École Nationale Supérieure des Mines de Saint-Étienne.PP :42-60.
- **Mete T. H., Turgay S., Mine I., Fahrettin A., Kubilay U., Ergul S. 2005.** Effect of quercetine and glutathione on the level of superoxide dismutase, catalase, malonyldialdehyde, blood pressure and neonatal outcome in a rat model of pre-eclampsia induced by NG-nitroL-arginine-methyl ester. European Journal of Obstetrics & Gynecology and Reproductive Biology. 118 : 190Ŕ195
- **Milane H .2004** . La quercétine et ses dérivés: molécules à caractère prooxydant ou capteurs de radicaux libres; études et applications thérapeutiques. Thèse de doctorat de l'université de Louis Pasteur. pp : 13-36.
- **Montagnier L. 2009**. Oxidative stress in preventive medicine. Free Radical Research.43 : 27-97.

- **Mohammedi Z.2013** .Etude Phytochimique et Activités Biologiques de quelques Plantes médicinales de la Région Nord et Sud Ouest de l'Algérie .thése

  doctora.p :51.

N

- **Nagarajan R ., Alan Hatton T .2008**.Nanoparticles: Synthesis, Stabilization, Passivation, and Functionalization.p3
- **Najafi L., Babadi V.Y., Najafi A., Gholami H., Beigi Zarji ME., Golzadeh J., Amraie E., et Shirband A. 2012.** Evaluation of iron oxide nanoparticles effects on tissue and enzymes of liver in rats. Journal of Pharmaceutical and Biomedical Sciences. 23 (04).
- **Naziroglu M., Uguz A.C., Kocak A., Bal R., (2009)**. Acetaminophen at different doses protects brain microsomal Ca2+ -ATPase and the antioxidant redox system in rats. J. Membrane Biology .231:57Ŕ64.
- **Nel A., Xia T., Mädler L., Li N. 2006.** Toxic potential of materials at the nanolevel. Science. 311(5761): 622-627.
- **Nicolas G., Bennoun M., Porteu A., Mativet S., Beaumont C., Grandchamp B., Sirito M., Sawadog M., Kahn A., Vaulont S. 2002**. Severe iron deficiency anemia in transgenic mice expressing liver hepcidin. Proceedings of the National Academy of Sciences of the United States of America. 99 : 4596-4601.

O

- **Oberdo., rster G, Maynard A, Donaldson K, Castranova V, Fitzpatrick J, Ausman K .,Carter J., Karn B., Kreyling W., Lai D., Olin S.,Monteiro-Riviere N.,Warheit D., Yang H.2005**. Principles for characterizing the potential human health effects from exposure to nanomaterials: elements of a screening strategy. Particle and fibre toxicology. 6;2:8.
- **Oberdo ., rster G.2005.** Nanotoxicology: an emerging discipline evolving from studies of ultrafine particles. Environ Health Perspect .113(7):823–39.
- **Oberdo ., rster G. 2010**. Safety assessment for nanotechnology and nanomedicine: concepts of nanotoxicology. Journal of internal medicine.267(1):89–105.

- **Ostiguy C., Soucy B., Lapointe G., Woods C., and Ménard L. 2008.**Les effets sur la santé reliés aux nanoparticules. Institut de recherche Robert-Sauvé en santé et en sécurité du travail.

$\mathcal{P}$

- **Pallavi S., Amar J., Ejaz H., Deepak S.2009**. Curcumin attenuates aluminium-induced functional neurotoxicity in rats. Pharmacology, Biochemistry and Behavior .93 31–39.
- **Pankhurst, Q., Connolly, A.J., Jones, S. K., & Dobson, J., 2003.** Applications of magnetic nanoparticles in biomedicine, J. Phys. D: Appl. Phys, 36, 167Ŕ181
- **Park B., Donaldson K., Duffin R., Tran L., Kelly F., Mudway I., et al**. Hazard and risk assessment of a nanoparticulate cerium oxide-based diesel fuel additive Inhalation toxicology.2008;20(6):547–66.
- **Parkkila S., Niemela O., Britton R.S., Fleming R.E., Waheed A., Baçon B.R., Sly W.S. 2001.** Molecular aspects of iron absorption and HFE expression. Gastroenterology .121 : 1489-1496.
- **Pasca .2016.** Nanoparticules : Nature, utilisations, effets sur la santé.p :11.
- **Penso G**. Les plantes médicinales dans l'art et l'histoire. Paris : Roger Da Costa ed. 1986.
- **Perez-Juste J., Pastoriza-Santos I., Liz-Marzan L.M., Mulvaney P.2005.** Gold nanorods : Synthesis, characterization and applications, Coordin. Chem. Rev. 249 :pp. 1870–1901, 2005
- **Perry M. 2008**. Evaluation de la curcumine comme agent anti-cancéreux dans le traitement des tumeurs cérébrales. Mémoire Chimie. Université du quebec a Montereal.p :26.
- **Peyssonnaux C., Zinkernagel A.S., Schuepbach R.A., Rankin E., Vaulont S., Haase V.H., Nizet V., Johnson R.S. 2007.** Regulation of iron homeostasis by the hypoxia-inducible transcription factors (HIFs). The Journal of clinical investigation.117(7) :1926-1932.
- **Pietrangelo A., Engl N., Med J. 2004**. Hereditary hemochromatosis--a new look at an old disease. 350(23):2383-97 .The New England journal of medicine.

- **Pincemail J., Meurisse M., Limet R. Defraigne J. O. 1999.** L'évaluation du stress oxydatif d'un individu: une réalité pour le médecin. Vaisseaux, Coeur, Poumons. The New England journal of medicine **.4** (5).
- **Pincemail ., Heusele C., Bonté F., Limet R., Defraigne J.O. 2001.** Stress oxydant, antioxydants nutritionnels et vieillissement. International Journal of Applied and Basic Medical Research. V, 4.
- **Platel K., Srinivasan K. 2004**.Digestive stimulant action of spices : A myth or reality. Indian Journal of Medical Research. 119: 167-179.
- **Platel K. Srinivasan K. A. 2001**.study of the digestive stimulant action of select spices in experimental rats. Journal of Food Science and Technology. 38: 358-361.
- **Pouliquen D., Perdrisot R., ermias A., Akoka S., jallet P.1989.**Superparamagnetic iron oxide nanoparticules as a liver MRI contrst agent: contribution of microencapsulation to improved biodistribution .Magnetic Resonance Imaging. 7 pp : 619-627.
- **Preetha A ., Sherin G., Thomas ., Ajaikumar B., Kunnumakkara ., Chitra Sundaram ., Kuzhuvelil B., Harikumar ., Bokyung Sung ., Sheeja T., Tharakan ., Krishna Misra ., Indira K., Priyadarsini ., Kallikat N., Rajasekharan ., Bharat B., Aggarwal .2008**. Biological activities of curcumin and its analogues (Congeners) made by man and Mother Nature biochimicalpharmacology. 7 6 : 1 5 9 0 – 1 6 1 1.

ℛ

- **Reuter S., Gupta S.C., Chaturvedi M.M., Aggarwal B.B., 2010.** Oxidative stress, inflammation, and cancer: how are they linked? Free Radic. Biology and medcine. 49 :1603–1616.
- **Romão1., Tovar J., Fonseca S.G., Moraes R.H., Cruz A.K., Hothersall J.S., Noronha-Dutra A.A., Ferreira S.H., Cunha F.Q. 2006**.Glutathione and the redox control system trypanothione/trypanothione reductase are involved in the protection of Leishmania spp. againstnitrosothiol-induced cytotoxicity Braz J Med Biol Res. 39(3) : 355-363.
- **RyeS. 2009**.Nanomatériaux : Préoccupations sur la Santé et l'Environnement. Annale de Bio Bois Energie. 7 (10) : 1-15.

S

- **Sacotih.2012.**Lésions élémentaires des cellules, tissus et organes. Annale de Copath. 3(1) : 1-29.
- **Sadrieh N., Wokovich A.M., Gopee N.V., Zheng J., Haines D., Parmiter D. 2010**.Lack ofsignificant dermal penetration of titanium dioxide from sunscreen formulations containing nano- and submicron-size TiO2 particles. Toxicological sciences. 115(1):156–66.
- **Saka S., Aouacheri W., Abdennour C. 2002**.The capacity of glutathione reductase in cell protection from the toxic effect of heated oils. Biochimie. 84 : 661-5.
- **Sally A., Tice R. P. H., Dean P. R. P.2001.** Medications that need hepatic Monitoring. Hospital Pharmacy. 36 (4): 456-64.
- **Sandrine Q.2013**. Comportement des nanoparticules de silice en milieu biologique : des cellules aux biomatériaux. These doctorat de l'unevesité pierrz et marie curie. p1.
- **Scheibmeir H.D., Christensen K., Whitaker S.H., Jegaethesan J., Clancy R., Pierce J.D. A. 2005**.review of free radicals and antioxidants for critical care nurses. Intensive Crit Care Nurs.21(1) : 24-8.
- **Schlorff E.C., Husain K., Somani S.M. 1999**.Dose-and time-dependent effects of ethanol on plasma antioxidant system in rat. Alcohol. 17(2) : 97-105
- **Sekli-belaidi F.2011**. Fonctionnalisation de surfaces d'électrodes par un film de poly (3,4-éthylène dioxythiophène) PEDOT pour l'élaboration de microcapteur spécifique des acides ascorbique et urique : application à l'étude des propriétés antioxydantes du sérum Sanguin. Thése de doctorat de l'université de Toulouse .p :212
- **Sèmiyou A., OSSENI.2012**.Nanoplateformes hybrides multimodales pour l'imagerie medicale. Thèses en ligne de l'Université Toulouse III. P : 8
- **Shibko S., Koivistoinen P., Tratnyek C.A., Newhall A. R., Fridman L. 1966**. A method for sequential quantitive separation and determination of protein, RNA, DNA, lipid, and glycogen from a single rat liver homogenate or from a subcellular fraction. Analytical Biochemistry.3(19): 514-528.
- **Singh A.,, Sharma R.K. Agrawal M., Marshall F.M. 2010**. Health risk assessment of heavy metals via dietary intake of foodstuffs from the wastewater irrigated site of a dry tropical area of India. Food and chemical toxicology. 48(2):611-9.

- **Shahid N.2016.** Valeur thérapeutique du curcuma**.** Laboratoire Phytomisan France.
- **Shen E .2009.** Identification and characterization of INMAP, a novel interphase nucleus and mitotic apparatus protein that is involved in spindle formation and cell cycle progression. Experimental Cell Research .315(7):1100-16
- **Shu-jun C. 2002.** Tea Bioactivity and Therapeutic Potential. CRC Press. 192-210.
- **Simon H. U., Haj-Yehia A ., Levi-Schaffer F. 2000**. Role of reactive oxygen species (ROS) in the apoptosis induction. *Apoptosis*.5 :415-418.
- **Subash C., Gupta., Sahdeo P., Ji H., Sridevi P., Lauren J., Web., Priyadarsini., Bharat B.2001.** Multitargeting by curcumin as revealed by molecular interaction studies. This journal is [a] The Royal Society of Chemistry .28 (1937–1955).
- **Szalay, B., Tátrai, E., Nyírő, G., Vezérb, T., & Duraa, G., 2012.** Potential toxic effects of iron oxide nanoparticles in in vivo and in vitro experiments. J. Appl. Toxicol, 32(6), 446-453. doi: 10.1002/jat.1779

T

- **Taib C.2018**. Neurotoxicité des nanoparticules d'oxyde de fer et l'effet protecteur de selinium chez les lapins oryctolagus cuniculus. Thése doctoraten tebessa.p :63.

V

- **Vlahovic P., Cvetkovic T ., Savic V ., Stefanovic v.2006.** Dietary curcumin does not protect kidney in glycerol-induced acute renal failure. Food and Chemical Toxicology .45 (2007) 1777–1782.

W

- **Wang J., Zhang B., Wang L., Wang M., Gao F. 2015**. One-pot synthesis of water-soluble superparamagnetic iron oxide nanoparticles and their MRI contrast effects in the mouse brains. Materials Science and Engineering. 48: 416-423.

- **WASFI D., ABID A.2017**. The effect of silymarine extracted from silibum marianum seeds on histopatological changes in male rabbits liver and kidney induced by nickel chloride toxicity.International Journal of Research in Applied. (P): 2347-4580.
- **Warheit D., Laurence B., Reed K., Roach D., Reynolds G., Webb T. 2004.** Pulmonary bioassay Toxicity Study in rats with single wall carbon nanotubes. Compte-rendu du First International Symposium on Occupational Health Implications of Nanomaterials. P : 59–64.
- **Weckbeker G., Cory J.G. 1988.** Ribonucleotide reductase activity and growth of Glutathoinedepleted mous leikemia L1210 cells in vitro. Cancer letters. 40: 257-264.
- **Weissleder, R., Stark, D. D., Engelstad, B. L., Bacon, B. R., Compton, C. C., White, D. L., Jacobs, P., &Lewis, J., 1989**. Superparamagnetic iron oxide: pharmacokinetics and toxicity, AJR, 1989, 152 (1), 167Ŕ173.
- **Wiart C. 2006**. Anti-inflammatory plants ethnopharmacology of medicinal plants:asia and the pacific. the United States.: Totowa.
- **Wiseman H ., Halliwell B .1996**. Damage to DNA by reactive oxygen and nitrogen species: role in inflammatory disease and progression to cancer. *Biochemical Journal*. **313** : 17-29.

Y

- **Yan J., John W., E. Christine P., Joan L., Buss. , Wei W., Roy P., Frank M., Torti ., Suzy v., Torti .2005**. Free Radical Biology & Medicine .40 (1152 – 1160).
- **Yang X. 2007**. Nano- and microparticle-based imaging of cardiovascular interventions: overview. Saudi journal of biological sciences. 243(2):340–7.
- **Yarru L.P., Settivari R.S., Gowda N.K.S., Antoniou E., Ledoux D.R., Rottinghaus G.E.2009.**Effects of turmeric (Curcuma longa) on the expression of hepatic genes associated with biotransformation, antioxidant, and immune systems in broiler chicks fed aflatoxin. Poultry Science. 88: 2620-2627.
- **Yu-Mi J ., Seul-Ki P., Mi-Young L.2011**. oxicoproteomic identification of TiO2 nanoparticleinduced protein expression changes in mouse brain. Animal Cells and Systems. 03:25.

- **Yzydorczyk C., Mitanchez D ., Buffat C., Ligi T ., Grandvuillemin I. 2015**.Stress oxydant chez l'enfant prématuré: causes, biomarqueurs et possibilités thérapeutiques. Archives de Pédiatrie. 22:1047-1055

Z

- **Zhang, R., & Olin, H., 2012**. Magnetic nanoparticles in biomedical applications.

❖ **Webographie**

- site 1 :http://www.mediachimie.org/sites/default/files/chimie-securite-junior_chapitre6.pdf
- site2 :http://www.nanotechproject.org/inventories/consumer/analysis_-draft/)
- site 3 :https://fr.wikipedia.org/wiki/Oxyde_de_fer#/media/File:Iron(III)-oxide-sample.jpg
- Site 4 : https://www.santemagazine.fr/alimentation/aliments-et-sante/3-bienfaits-du-the-au-curcuma-198777
- Site 5 : (https://www.ajib.fr/sante-les-innombrables-bienfaits-du-curcuma/)
- (https://www.santemagazine.fr/alimentation/aliments-et-sante/3-bienfaits-du-the-au-curcuma-198777)